

think global™

DESIGN GUIDE



Effective July 2014

Princeton

Overview

Princeton is a freestanding and fully modular desking system offering maximum flexibility; ease of installation and facilitates simple reconfigurations. The overlapping worksurface design allows the footprint to adapt to smaller spaces by just a few inches. Every element, from the mix of materials and finishes to open storage pieces, floating modesties and overlapping surfaces, has been designed to provide visual appeal and intelligent function.

All Princeton components have been tested to comply with BIFMA table / desk and mechanical standards. Princeton has been tested using stringent environmental chamber methods and found to meet Greenguard's Indoor Air Quality standards. Greenguard certified products are low emitting and contribute minimal levels of pollutants to indoor environments www.greenguard.org. Princeton is BIFMA Level 3 certified.

Construction Specifications

WORKSURFACES

- Constructed of 45 lbs density particleboard core with high performance thermally fused laminate
- High pressure laminate tops are also available in all Princeton laminate finishes at an extended lead time. Please see model # for pricing and availability.
- Worksurfaces are 1" thick with 3mm thick matching edge detail on all sides
- Worksurfaces with metal legs which have a span of 54" and over include metal support channel(s)
 - 24" and 30" deep - 1 support channel
 - 36" deep - 2 support channels

GENERAL CONSTRUCTION


- Laminate end panel and metal leg products are **not intended** to be combined for the most visually compatible design. They are, however, interchangeable if required.
- Components are constructed of 45 lbs density particleboard core with high performance thermally fused laminate
- End panels are 1.5" thick on laminate end panel desks and credenzas. Cabinet end panels are 11/16" thick.
- All components other than worksurfaces have 1mm thick matching edge detail on all sides
- Leveling glides are standard on all floor units with a minimum of 1" adjustability
- 1" x 2" metal frame legs finished in Tungsten (TUN) for desks and returns
- 1" x 2.5" metal frame legs finished in Tungsten (TUN) for freestanding tables
- Credenzas come standard with file bars for front-to-back letter, legal and A4 filing capability
- Laminate shelves are 11/16" thick and edged on all 4 sides. Optional tempered glass shelves are 6mm thick with satin-etched finish on one side.
- Metal plates and wood screws are provided for connection between units
- Counterweights are standard on all pedestals, lateral files, credenzas and cabinets
- Mobile pedestals and mobile lateral files come standard with front locking casters
- Stool and rolling table come standard with non-locking casters
- Handles and pulls in satin anodized finish are standard on all credenza, pedestal drawers and cabinet doors
- Pull-out equipment shelves are available on select credenzas
- Grommets and power blocks are available to accommodate power/data needs

LOCKS

- Standard on all credenzas, storage cabinets, lateral files, pedestals and benches
- Lock on all credenzas, cabinets and pedestals is always positioned on the bottom file drawer
- Lock secures both bottom and drawer above that with the lock
- Storage cabinets and pedestals with box, box, file combination, only file drawer and lower box drawer are locking
- Components can be ordered without locks at no additional charge. Specify NL

PULLS


- 9.76" long
- Satin anodized finish only



Construction Specifications


TABLE LEGS

- 1" X 2.5" metal frame (open 'U' style)
- Finished in Tungsten (TUN) only




METAL LEG

- 1" X 2" open metal frame (closed 'O' style)
- Finished in Tungsten (TUN) only
- Support for select desks and returns



MONOPOST

- Standard support for Conference tops
- 4" square post with 10" square base
- Finished in Tungsten (TUN) only





LAMINATE MODESTY PANELS

- 10" high. Standard on all desks with laminate end panels, returns with laminate end panels and bridges for laminate end panel desks
- Modesty is flush on Freestanding Returns with laminate end panels
- Modesty is recessed 4" deep on 24"d desks with laminate end panels, 5" deep on 30"d desks with laminate end panels and 6" deep on 36"d desks with laminate end panels
- Modesty is recessed 4" deep on 24"d, 5" deep on 30"d and 6" deep on 36"d flush and overlapping returns with laminate end panels
- Modesty is recessed 4" d on 24"d and 5" d on 30"d flush and overlapping bridges with laminate end panels
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of wood modesty panel is 18" from floor

GROMMETS

- Worksurface grommet hole dimensions are 3.22" wide by 1.85" deep
- One grommet in satin anodized finish is standard on many components
- Standard grommet position for desks, returns, bridges and conference tops is POG2
- Grommet location is 2" from edge to cut out on desks/returns/bridges and 2.5" from edge to cut out on credenzas
- Additional grommets are available in other standard worksurface locations (left, center or right) on select components; refer to price list for more information
- Grommets may be placed at non-standard locations, see price list for upcharge
- A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below)
- Components that come standard with grommet may be ordered without a grommet, upcharge applies



WIRE MANAGEMENT PASS-THROUGH

- Laminate modesty panels have a 3.43" wide by 2" high pass-through for cables/cords, excluding 27"h and 29"h freestanding returns
- Credenzas with open lower shelf, the center gable has a 4" x 4" cut out allowing cables to pass through and exit the bottom of the unit to floor mounted power/data
- 2" deep x 2" high extruded wire management channel in several lengths is available for management of cables below the worksurface
- Channel readily flexes to receive and then secure electrical and data wires
- Quickly attaches with double-sided tape (included)

Construction Specifications

CREENZA WITH PULL-OUT EQUIPMENT SHELF

- Select credenzas have the option of a pull-out equipment shelf
- Shelf is rated for up to 80 lbs.

GLASS

- All glass components (desktop panels, sliding glass doors, adjustable shelves) are tempered 6mm thick glass with satin etched finish on one side

SPECIAL SIZES

- Custom widths, depths and heights are available, but require a custom quote. Please contact Customer Care for more information.
- Custom orders must indicate the “custom quote number” and list price as provided by Customer Care
- Changes to a custom quote are not permissible. Any revisions will necessitate a new quotation.

Planning Guidelines

To maintain design intent and most visually compatible design, ensure specifying **laminated end panel** products with other laminated end panel products, and likewise **metal leg** products with metal leg products. Components are interchangeable if required, however it is not recommended you mix laminated end panel and metal leg products.

Standard Finishes

Top:	Base:	Door, Drawer and Cabinet Fronts
ACJ Absolute Acajou	ACJ Absolute Acajou	ACJ Absolute Acajou
ASN Asian Night	ASN Asian Night	ASN Asian Night
AWC Avant Cherry	AWC Avant Cherry	AWC Avant Cherry
AWH Avant Honey	AWH Avant Honey	AWH Avant Honey
DES Dark Espresso	DES Dark Espresso	DES Dark Espresso
HGT Hayden Grey	HGT Hayden Grey	HGT Hayden Grey
SKC Shaker Cherry	SKC Shaker Cherry	SKC Shaker Cherry
TMA Tiger Mahogany	TMA Tiger Mahogany	TMA Tiger Mahogany
TMP Tiger Maple	TMP Tiger Maple	TMP Tiger Maple
TWL Tiger Walnut	TWL Tiger Walnut	TWL Tiger Walnut
WCR Winter Cherry	WCR Winter Cherry	WCR Winter Cherry
WHC White Chocolate	WHC White Chocolate	WHC White Chocolate
WHT White	WHT White	WHT White

Please specify a finish code for the **top, base** and **door/ drawer/cabinet front individually**. Please refer to the **Required Specifications** indicated on each page of the Princeton price book.

- **Required finish option sequence:** Top finish is always in the 1st position, Base finish is always in the 2nd position and Door/Drawer/Cabinet Front is always in the 3rd position.

Example: PN3072DK WHC ACJ PN2960CPL WHC ACJ WHC
 [model #] [top] [base] [model #] [top] [base] [drawer fronts]

Monopost Finishes

4" square monopost is standard in Tungsten (TUN) finish

Metal Frame Desk Legs

1" x 2" metal frame legs are standard in Tungsten (TUN) finish












Planters

Planter pots are standard in white. Available in Black (BK) at no upcharge. **MUST SPECIFY** at time of order placement.




















Metal Frame Table Legs

1" x 2.5" metal frame legs are standard in Tungsten (TUN) finish















Finish Specification

Top	Base	Door / Drawer / Cabinet Fronts	Notes
Princeton Tables			
	n/a	n/a	Leg finish: Tungsten (TUN) only
Princeton Desks			
		n/a	<ul style="list-style-type: none"> • Leg finish: Tungsten (TUN) only • Grommet finish: Satin Anodized only • Bookcase adjustable shelf optional in satin-etched glass
Princeton Returns			
		n/a	Grommet finish: Satin Anodized only
	n/a	n/a	<ul style="list-style-type: none"> • Leg finish: Tungsten (TUN) only • Grommet finish: Satin Anodized only
		n/a	<ul style="list-style-type: none"> • Grommet finish: Satin Anodized only • Bookcase adjustable shelf optional in satin-etched glass
Princeton Bridges			
		n/a	Grommet finish: Satin Anodized only
Princeton Conference Tops			
	n/a	n/a	<ul style="list-style-type: none"> • Leg finish: Tungsten (TUN) only • Grommet finish: Satin Anodized only

Finish Specification

Top	Base	Door / Drawer / Cabinet Fronts	Notes
Princeton Credenzas			
			<ul style="list-style-type: none"> • Grommet finish: Satin Anodized only • Pull finish: Satin Anodized only
			If sliding glass door: Satin-etched glass only
Cushions for Credenzas and Mobile Storage			
	n/a	n/a	Specify fabric.
Princeton Cabinets and Towers			
			<ul style="list-style-type: none"> • Adjustable shelf optional in satin-etched glass • Pull finish: satin anodized only • Accessory hook finish: Satin anodized only
			<ul style="list-style-type: none"> • Adjustable shelf optional in satin-etched glass • Pull finish: satin anodized only • Accessory hook finish: Satin anodized only
			<ul style="list-style-type: none"> • Adjustable shelf optional in satin-etched glass • Pull finish: satin anodized only • Accessory hook finish: Satin anodized only
Princeton Pedestals and Mobile Storage			
			Pull finish: Satin anodized only

Finish Specification




Top	Base	Door / Drawer / Cabinet Fronts	Notes
Princeton Desktop Storage			
		n/a	Applicable to two high and three high only
			<ul style="list-style-type: none"> • If glass sliding door, satin-etched glass only • Sliding pull finish: Brushed aluminum only
			<ul style="list-style-type: none"> • If glass sliding door, satin-etched glass only • Sliding pull finish: Brushed aluminum only
Princeton Accessories			
		n/a	
		n/a	Optional center adjustable shelf available in satin-etched glass finish
		n/a	<ul style="list-style-type: none"> • Must specify plant pot finish. • Optional center adjustable shelf available in satin-etched glass

Product Map

Princeton Tables - 29"H

Unless noted otherwise, width and depth range in 6" increments. *Not available in all widths/depths - refer to price list.

Freestanding and Mobile

Depth	24" to 48"*	24" to 48"*	24" to 48"*
Width	24" to 96"*	120", 144"	24" to 72"*
			
Product Code	PNxxxx29	PNxxxx29	PNxxxx29C
Support	Tables with open leg	Tables with center leg	Open leg with locking casters

• 1" x 2.5" metal frame open leg, finished in Tungsten (TUN). Metal support channel(s) included on widths exceeding 54". 144" wide top in two pieces.




Princeton Desks - 29"H

Freestanding OR may also be used in overlapping configurations OR with flush connection to returns, bridges and conference tops

Desks with laminate end panels | Top and base finish(es) specified separately. Front and back worksurface overhang by 4" on 24"D models; 5" on 30"D models and 6" on 36"D models

Desks with metal frame | 1" x 2" metal leg, finished in Tungsten (TUN). Metal support channel(s) included on widths exceeding 54". Top and Bookshelf finish(es) specified separately. Bookshelf is 12" deep overall; middle shelf is adjustable.

24", 30", 36" Depths

Width	48" to 84"	48" to 84"	60" to 84"
			
Product Code	PNxxxxDK	PNxxxxDM	PNxxxxDB(R/L)
Support	Laminate end panels, 10"H recessed modesty	Metal legs	Metal leg and bookshelf



Product Codes	PNxxxxDK with flush connection PNxxxxRFR	PNxxxxDM flush to PNxxxxOSR overlapping PN23xxNO with cushion	PNxxxxDBL flush to PNxxxxOBR overlapping PN27xxCRR
---------------	---	--	---

Princeton Returns

Returns with laminate end panels and modesty or bookshelf | Top and base finish(es) specified separately. Bookshelf is 12" deep overall; middle shelf is adjustable.

Returns with metal frame | 1" x 2" metal leg, finished in Tungsten (TUN). Metal support channel(s) included on widths exceeding 54".

Freestanding Return | 24" deep





Width	48" to 84"	48" to 84"
Height	29"	27"
		
Product Code	PNxxxx29R	PNxxxx27R
Support	Laminate end panels	Laminate end panels

- Freestanding or use 29"H returns for flush mating conditions or overlapping 27"H and 23"H freestanding components
- Freestanding or use 27"H returns to support overlapping components with 1" spacer
- 10"H recessed modesty





Product Map

Princeton Returns - 29"H



Flush Connection

Depth	24", 30", 36"	24", 30", 36"	30", 36"	24", 30", 36"
Width	48" to 78"	48" to 78"	48" to 78"	48" to 78"
Right hand shown Left hand available				
Product Code	PNxxxxRF(R/L)	PNxxxxFM(R/L)	PNxxxxFT(R/L)	PNxxxxFB(R/L)
Support	Inset laminate end panel, 10"H modesty	Metal leg	Metal leg, wedge top	Bookshelf

Overlapping Return with 1" Spacer | works with 27"H components

Depth	24", 30", 36"	24", 30", 36"	30", 36"	24", 30", 36"
Width	72" to 84"	60" to 84"	60" to 84"	84" to 96"
Right hand shown Left hand available				
Product Code	PNxxxxRO(R/L)	PNxxxxOM(R/L)	PNxxxxOT(R/L)	PNxxxxRB(R/L)
Support	Inset laminate end panel, 10"H modesty	Metal leg	Metal leg, wedge top	Bookshelf

Overlapping Return with 5" Metal Spacer | works with 23"H components

Depth	24", 30", 36"	30", 36"
Width	60" to 84"	60" to 84"
Right hand shown Left hand available		
Product Code	PNxxxxSO(R/L)	PNxxxxTS(R/L)
Support	Metal leg and 5" metal spacer	Metal leg, wedge top and 5" metal spacer

Princeton Bridges

Flush Connection

Height	11"	1"
Depth	24", 30"	24", 30"
Width	36" to 54"	36" to 54"
Product Code	PNxxxxBF For laminate end panel configurations	PNxxxxBFM For metal leg configurations

• Bridges may also be used with 29"H credenzas with opening

Overlapping Bridge with 1" Spacer | works with 27"H credenzas


Height	11"	2"
Depth	24", 30"	24", 30"
Width	60" to 78"	60" to 78"
Product Code	PNxxxxBO(R/L) For laminate end panel configurations	PNxxxxOB(R/L) For metal leg configurations

Product Map

Overlapping Bridge with 5" Metal Spacer | works with 23"H credenzas

Height 6"
 Depth 24", 30"
 Width 60" to 78"

Right hand shown
 Left hand available






Product Code PNxxxxOS(R/L)




Princeton Conference Tops - 29"H

Conference tops are supported by a 28"H and 4" square monopost with 10" square base finished in Tungsten (TUN).



Flush Connection

Depth	24", 30"	30"	47"
Width	48", 54", 60"	48", 54", 60"	66", 72"
			
Left hand shown			
Right hand available			
Product Code	PNxxxxDF(R/L)	PNxxxxTF(R/L)	PNxxxxCF(R/L)
Configuration	Rectangular	Wedge	Offset

Overlapping Conference Tops with 1" Spacer on connecting end | works with 27"H components

Depth	24", 30"	30"	47"
Width	72", 78", 84"	72", 78", 84"	90", 96"
			
Left hand shown			
Right hand available			
Product Code	PNxxxxDO(R/L)	PNxxxxTO(R/L)	PNxxxxCO(R/L)
Configuration	Rectangular	Wedge	Offset

Used in U Configurations | not freestanding






Depth	24", 30"	47"
Width	72", 78", 84"	90", 96"
		
Left hand shown		
Right hand available		
Product Code	PNxxxxDU(R/L)	PNxxxxCU(R/L)
Configuration	Rectangular	Offset

Product Map




Princeton Credenzas - 29"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with sliding doors do not lock
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- **Connection with flush or overlapping surfaces to credenza is only possible over units open on one side with either fixed lower shelf or pull-out equipment shelf**
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument
- Units with one open shelf/box/file drawer | open shelf interior height is fixed at 5.7"






Single Wide Credenzas

Depth	20"	24"	24"	24"	24"
Width	24", 30", 36"	24", 30", 36"	24", 30", 36"	37"	37"
					
Product Code	PN29xxNO	PN29xxCO	PN29xxPO	PN2937LFS	PN2937CRS
Configuration	Open, Narrow	Open	Open with Pull-Out Equipment Shelf	File/File	Open Shelf/Box/File





Connect to flush returns, conference tops or bridges



Depth	20"	24"	24"
Width	54", 60"	60" to 84"	60" to 84"
			
Product Code	PN29xxNO	PN29xxCO	PN29xxPO
Configuration	Open, Narrow	Open	Open with Pull-Out Equipment Shelf on one side, left and right hand available

Connect on open side to flush returns, conference tops or bridges

Depth	20"	24"	24"	24"	24"
Width	54", 60"	60" to 84"	60" to 84"	66" to 84"	66" to 84"
					
Left hand shown Right hand available					
Product Code	PN29xxNC(R/L)	PN29xxCR(R/L)	PN29xxCP(R/L)	PN29xxMC(R/L)	PN29xxMP(R/L)
Configuration	Narrow with 30"W Box/File	34"W Box/File	34"W Box/File with Pull-Out Equipment Shelf	Open Shelf/Docking Shell for mobile lateral file	Open Shelf with Pull-Out Equipment Shelf/ Docking Shell for mobile lateral file

Freestanding

Depth	24"	24"	20"	24"
Width	72"	72"	54", 60"	60" to 84"
				
Product Code	PN2972LF	PN2972CRD	PN29xxNLS	PN29xxCLS
Configuration	Double Lateral File	Open Shelf/Double Box/File	Sliding Laminate Doors, Narrow	Sliding Laminate Doors





Depth	20"	24"
Width	54", 60"	60" to 84"
		
Product Code	PN29xxNGS	PN29xxCGS
Configuration	Sliding Glass Doors, Narrow	Sliding Glass Doors

Product Map



Princeton Credenzas - 27"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with sliding doors do not lock
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument
- Units with open shelf/box/file drawer | open shelf interior height is fixed at 4"




Single Wide Credenzas

Depth	20"	24"	24"	24"
Width	24", 30", 36"	24", 30", 36"	24", 30", 36"	37"
				
Product Code	PN27xxNO	PN27xxCO	PN27xxPO	PN2737CRS
Configuration	Open, Narrow	Open	Open with Pull-Out Equipment Shelf	Open Shelf/Box/File




Narrow | Supports overlapping components with 1" spacer

Depth	20"	20"
Width	54", 60"	54", 60"
		
Product Code	PN27xxNO	PN27xxNC(R/L)
Configuration	Open	Open on one side, 30"W Box/File, left and right hand available






Supports overlapping components with 1" spacer | Open Side, Fixed Bottom Shelf

Depth	24"	24"	24"
Width	60" to 84"	60" to 84"	66" to 84"
			
Left hand shown			
Right hand available			
Product Code	PN27xxCO	PN27xxCR(R/L)	PN27xxMC(R/L)
Configuration	Open	Open with 34"W Box/File	Open Shelf/Docking Shell for mobile lateral file

Supports overlapping components with 1" spacer | Open Side, Pull-out Equipment Shelf

Depth	24"	24"	24"
Width	60" to 84"	60" to 84"	66" to 84"
			
Left hand shown			
Right hand available			
Product Code	PN27xxPO(R/L)	PN27xxCP(R/L)	PN27xxMP(R/L)
Configuration	Open	Open with 34"W Box/File	Open Shelf/Docking Shell for mobile lateral file

Freestanding



Depth	24"	20"	24"	20"	24"
Width	72"	54", 60"	60" to 84"	54", 60"	60" to 84"
					
Product Code	PN2772CRD	PN27xxNLS	PN27xxCLS	PN27xxNGS	PN27xxCGS
Configuration	Double Box/File	Sliding Laminate Doors, Narrow	Sliding Laminate Doors	Sliding Glass Doors, Narrow	Sliding Glass Doors

Product Map





Princeton Credenzas - 23"H

- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Units with file drawers include file bars to accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom file drawers; secures both drawers.
- Credenzas with pull-out equipment shelf | shelf is rated for up to 80 lbs.
- Units open on one side (fixed or pull-out shelf) allow cables and cords to pass through back of lower shelf to floor monument



Open | Supports overlapping components with 5" metal spacer | Accepts seat cushion (specified separately)

Depth	20"	24"
Width	54", 60"	60" to 84"
		
Product Code	PN23xxNO	PN23xxCO
Configuration	Narrow. Open. Fixed bottom shelves.	Open. Fixed bottom shelves.




Open | Supports overlapping components with 5" metal spacer | Accepts seat cushion (specified separately)

Depth	20"	24"	24"	24"
Width	54", 60"	60" to 84"	60" to 84"	60" to 84"
				
Product Code	PN23xxNC(R/L)	PN23xxCR(R/L)	PN23xxPO(R/L)	PN23xxCP(R/L)
Configuration	Narrow with 30"W Box/File	34"W Box/File	Open with Pull-Out Equipment Shelf	34"W Box/File with Pull-Out Equipment Shelf

Freestanding | Accepts seat cushion (specified separately)

Depth	24"	24"
Width	37"	72"
		
Product Code	PN2337CRS	PN2372CRD
Configuration	Single Box/File	Double Box/File

Cushions for 23"H Credenzas | 2.5" thick | Specify fabric

Depth	20"	24"	24"
Width	27", 30"	30", 33", 36", 39", 42"	37"
			
Product Code	PN20xxCU	PN24xxCU	PN2437CU
Configuration	For 23"H Narrow Credenzas	For 23"H x 24"D Credenzas	For 23"H Single Credenzas

Product Map

Princeton Storage Cabinets - 24"D

- Fixed bottom shelf of upper open shelves align with depth of worksurface for side access
- Finish option specified for each zone of the credenza separately: Top | Base | Drawer and/or laminate door fronts
- Cabinets with side access bookshelf | 52"H with one adjustable shelf, 66"H with two adjustable shelves • Adjustable shelves may be specified in tempered glass
- Cabinets with file drawers accommodate front to back letter, legal or A4 filing. Lock is positioned on bottom drawer.
- Cabinets with full height wardrobes | wardrobe is locking • coat rail included
- Cabinets with upper hinged door storage | hinged door is locking • 52"H with one adjustable shelf inside; 66"H with two adjustable shelves inside
- Cabinets with recycling/waste drawer include one of each bin • Recycling drawer is non-locking

52"H | Align with 27"H worksurfaces

Width	18"	16"	16"	16"	16"
Left hand shown Right hand available					
Product Code Configuration	PN57CWB Wardrobe/Bookshelf	PN57CSBF(R/L) Open Shelf/Box/File/Bookshelf	PN57CSF(R/L) Open Shelf/File/Bookshelf	PN57RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf	PN57DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File
Width	16"	16"	24"	24"	24"
Left hand shown Right hand available					
Product Code Configuration	PN57DCSF(R/L) Upper storage with Open Shelf/File	PN57DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer	PN57TSBF(R/L) Upper Storage with Open Shelf/ Box/File and Bookshelf	PN57TSF(R/L) Tower with wardrobe; Open Shelf/File and Bookshelf	PN57RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf
Width	24"	24"	24"		
Left hand shown Right hand available					
Product Code Configuration	PN57SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File	PN57DTSF(R/L) Tower with wardrobe; Upper Storage, Open Shelf/File	PN57DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer		

Product Map

52"H | Align with 29"H worksurfaces

Width	18"	16"	16"	16"	16"
Left hand shown Right hand available					
Product Code Configuration	PN59CWB Wardrobe/Bookshelf	PN59CSBF(R/L) Open Shelf/Box/File/Bookshelf	PN59CSF(R/L) Open Shelf/File/Bookshelf	PN59RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf	PN59DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File
Width	16"	16"	24"	24"	24"
Left hand shown Right hand available					
Product Code Configuration	PN59DCSF(R/L) Upper storage with Open Shelf/File	PN59DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer	PN59TSBF(R/L) Upper Storage with Open Shelf/ Box/File and Bookshelf	PN59TSF(R/L) Tower with wardrobe; Open Shelf/File and Bookshelf	PN59RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf
Width	24"	24"	24"		
Left hand shown Right hand available					
Product Code Configuration	PN59SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File	PN59DTSF(R/L) Tower with wardrobe; Upper Storage, Open Shelf/File	PN59DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer		
Width	16"	16"	24"	24"	
Left hand shown Right hand available					
Product Code Configuration	PN59CBBF(R/L) Box/Box/File and Bookshelf	PN59DBBF(R/L) Upper Storage with Box/Box/File	PN59TBBF(R/L) Tower with wardrobe; Box/Box/File and Bookshelf	PN59BBFT(R/L) Tower with wardrobe; Upper Storage, Box/Box/File and Bookshelf	

Product Map

66"H | Align with 27"H worksurfaces

Width	18"	16"	16"	16"	16"
Left hand shown Right hand available					
Product Code	PN67CWB	PN67CSBF(R/L)	PN67CSF(R/L)	PN67RCS(R/L)	PN67DSBF(R/L)
Configuration	Wardrobe/Bookshelf	Open Shelf/Box/File/Bookshelf	Open Shelf/File/Bookshelf	Open Shelf/Recycling/Waste Drawer/ and Bookshelf	Door/Upper Storage with Open Shelf/Box/File

Width	16"	16"	24"	24"	24"
Left hand shown Right hand available					
Product Code	PN67DCSF(R/L)	PN67DRCS(R/L)	PN67TSBF(R/L)	PN67TSF(R/L)	PN67RTS(R/L)
Configuration	Upper storage with Open Shelf/File	Upper Storage with Open Shelf/ Recycling/Waste Drawer	Tower with wardrobe; Open Shelf/ Box/File and Bookshelf	Tower with wardrobe; Open Shelf/File and Bookshelf	Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf

Width	24"	24"	24"
Left hand shown Right hand available			
Product Code	PN67SBFT(R/L)	PN67TSF(R/L)	PN67DRTS(R/L)
Configuration	Tower with wardrobe; Upper Storage, Open Shelf/Box/File	Tower with wardrobe; Upper Storage, Open Shelf/File	Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer

52"H and 66"H | Align with 27"H or 29"H worksurfaces

Width	24"	16"
Left hand shown Right hand available		
Product Code (52"H)	PN1652WD(R/L)	PN52TWB(R/L)
Product Code (66"H)	PN1666WD(R/L)	PN66TWB(R/L)
Configuration	Wardrobe with Coat Rail	Wardrobe Tower and full height bookcase

Product Map






66"H | Align with 29"H worksurfaces

Width	18"	16"	16"	16"	16"
Left hand shown Right hand available					
Product Code Configuration	PN69CWB Wardrobe/Bookshelf	PN69CSBF(R/L) Open Shelf/Box/File/Bookshelf	PN69CSF(R/L) Open Shelf/File/Bookshelf	PN69RCS(R/L) Open Shelf/Recycling/Waste Drawer/ and Bookshelf	PN69DSBF(R/L) Door/Upper Storage with Open Shelf/Box/File
Width	16"	16"	24"	24"	24"
Left hand shown Right hand available					
Product Code Configuration	PN69DCSF(R/L) Upper storage with Open Shelf/File	PN69DRCS(R/L) Upper Storage with Open Shelf/ Recycling/Waste Drawer	PN69TSBF(R/L) Tower with wardrobe; Open Shelf/ Box/File and Bookshelf	PN69TSF(R/L) Tower with wardrobe; Open Shelf/File and Bookshelf	PN69RTS(R/L) Tower with wardrobe; Open Shelf/ Recycling/Waste Drawer and Bookshelf
Width	24"	24"	24"		
Left hand shown Right hand available					
Product Code Configuration	PN69SBFT(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Box/File	PN69DTSF(R/L) Tower with wardrobe; Upper Storage, Open Shelf/File	PN69DRTS(R/L) Tower with wardrobe; Upper Storage, Open Shelf/Recycling/Waste Drawer		
Width	16"	16"	24"	24"	
Left hand shown Right hand available					
Product Code Configuration	PN69CBBF(R/L) Box/Box/File and Bookshelf	PN69DBBF(R/L) Upper Storage with Box/Box/File	PN69TBBF(R/L) Tower with wardrobe; Box/Box/File and Bookshelf	PN69BBFT(R/L) Tower with wardrobe; Upper Storage, Box/Box/File and Bookshelf	





Product Map

Princeton Mobile Storage




Mobile Pedestals, 16"W x 22"D

Height	20"	21"	26"	27"	27"
					
Product Code	PN21MSF	PN22MBF	PN26MSBF	PN27MBBF	PN27MFF
Configuration	4"H Open Shelf/File	Box/File	5"H Open Shelf/Box/File	Box/Box/File	File/File

Mobile Lateral Files, 35.5"W x 22"D





Height	20"	21"	26"	27"
				
Product Code	PN21MLSF	PN22MLBF	PN26MLSBF	PN27MLFF
Configuration	4"H Open Shelf/File	Box/File	5"H Open Shelf/Box/File	File/File

Seat Cushions for Mobile Storage, 2.5" thick | Specify Fabric

Depth	21"	26"	27"
Width	16"	35.5"	36", 48"
			
Product Code	PN1622CU	PN3622CU	PN18xxCU
Configuration	For Mobile Pedestals	For Mobile Laterals	For Benches





Princeton Wall-Mounted Overheads

19"H x 16"D x 60" to 84"W

				
Product Code	PN19xxWHO	PN19xxLS	PN19xxLWH	PN19xxWH
Configuration	Open Storage	Single Sliding Laminate Door	Sliding Laminate Doors	Sliding Glass Doors

• Interior height clearance is 13.6" • Lower pigeon hole shelf is 3.3"H • Sliding doors do not lock • Mounting hardware not included

8"H x 12"D x 60" to 84"W





				
Product Code	PN12xxWHO	PN12xxLS	PN12xxLWH	PN12xxWH
Configuration	Open Storage, Slim	Single Sliding Laminate Doors, Slim	Sliding Laminate Doors, Slim	Sliding Glass Doors, Slim

• Interior height clearance is 6.6" • Sliding doors do not lock • Mounting hardware not included

Product Map

Princeton Desktop Storage

12"H x 11"D x 48" to 72"W



Product Code
Configuration

PN11xxDSO
Open Storage


PN11xxLS
Single Sliding Laminate Door

PN11xxLDS
Sliding Laminate Doors

PN11xxDS
Sliding Glass Doors

- Inside height clearance is 6.5" • 4" clearance between worksurface and underside of bottom shelf • Sliding doors do not lock
- Secured with high performance double sided tape (supplied)

13"H x 12"D x 24" to 78"W | Single Open Shelf



Product Code
Configuration

PNxx13DB
Open Shelf

- 54" and wider have center divider

12"D Open Desktop Shelf | Adjustable interior shelf | Use with 29"H worksurfaces





Height
Width

23"
24", 30", 36"

23"
24", 30", 36"

37"
24", 30", 36"

37"
24", 30", 36"



Product Code
Configuration

PNxx23LDB
Two high, all laminate

PNxx23GDB
Two high, glass center shelf

PNxx37LDB
Three high, all laminate

PNxx37GDB
Three high, glass interior shelves

- Use 23"H with 29"H worksurface to align with 52"H cabinets • Use 37"H with 29"H worksurface to align with 66"H cabinets

12"D Open Desktop Shelf | Adjustable interior shelf | Use with 27"H worksurfaces





Height
Width

25"
24", 30", 36"

25"
24", 30", 36"

39"
24", 30", 36"

39"
24", 30", 36"



Product Code
Configuration

PNxx25LDB
Two high, all laminate





PNxx25GDB
Two high, glass center shelf

PNxx39LDB
Three high, all laminate

PNxx39GDB
Three high, glass interior shelves

- Use 25"H with 27"H worksurface to align with 52"H cabinets • Use 39"H with 27"H worksurface to align with 66"H cabinets

Hutches | 35"H x 16"D x 60" to 84"W



Product Code
Configuration

PN35xxCHO
Open

PN35xxLS
Single Sliding Laminate Door






PN35xxLCH
Sliding Laminate Doors






PN35xxCH
Sliding Glass Doors




- Full back, predrilled lower corners for cable escape. Accepts tackboard. 1" x 2" x 15.9"H metal frame support • Internal height clearance is 13.5"
- 15.9" clearance between worksurface and underside of hutch. Lower pigeon hole shelf is 3.3"H
- Sliding doors do not lock.
- **Hutches cannot be placed on desks with laminate end panels.**

Product Map






Princeton Accessories

Height	13"	13"	8"	14.5"	14.5"
Depth	0.37"	0.25"	12"	0.62"	0.62"
Width	30" to 78"	30" to 72"	60" to 84"	56", 62", 68", 74", 80"	60" to 84"
					
Product Code Configuration	PNxx13DMF Fabric Desktop or Modesty Panel	PNxx13DG Glass Desktop Panel	PN12xxWHS Wall-Mounted Shelf	PN15xxTBH Tackboard for Hutch	PN15xxTBW Tackboard for Overhead Storage

Height	17"	17"	19.5"	14.5"	29"
Depth	18"	18"	19"	19"	12"
Width	36", 48"	36" 48"	19"	19"	42", 72"
					
Product Code Configuration	PN18xxBN Bench with Open Storage	PN18xxBF Bench with Lateral File Storage	PN1920ST Mobile Stool with Cushion	PN1915RT Round Mobile Table	PNxx29BGS Divider Shelves

Height	29"	29", 52", 66"	29", 52", 66"		
Depth	12"	12"	12"		
Width	15", 42", 72"	24", 30", 36"	24", 30", 36"		
					
Product Code Configuration	PNxx29PL Planters	PNxxxxBLS Bookshelf with Laminate Shelves	PNxxxxBGS Bookshelf with Glass Shelves		

Princeton Electrical Data

Height	2.22"	2.22"	2.22"	0.5"	2"
Depth	2.5"	2.5"	2.5"	1.5"	2"
Width	3.58"	6.75"	10.25"	12", 20", 40"	12" to 66" (in 6" increments)
					
Product Code Configuration	PGDPS20 2 Outlet Power Block	PGDPS21 2 Outlet, 1 Telecom Blank Plate	PGDPS41 4 Outlet, 1 Telecom Blank Plate	PLEDxx Ultra Slim LED Task Light	PEWMx / PEWMx.x Wire Manager